




# SPESIFIKASI LAMPU PJU-TS 30 WATT LED OSRAM

1. LAMPU LED OSRAM 30 WATT HIGH LUMENS	2. Spesification LED OSRAM 30 Watt
	<ul style="list-style-type: none"> <li>. Dual power source : Ac / Dc</li> <li>. Protection : IP 66 Design Outdoor</li> <li>. High efficacy : Up to 120lm/W</li> <li>. Lumens : 3600 lm</li> <li>. Long lifetime : 50,000 hours</li> <li>. Warranty : 2 ~ 3 years</li> <li>. Material : Aluminum</li> <li>. Kelvin color / CCT : 4000K ~ 5600K</li> <li>. Beam Angle : 150 x 60</li> </ul>


	<p style="text-align: center;">LEDENVO™ LED Street Light Photometrics Light Distribution Curve</p> <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> <p>150° x 60°</p>  </div> <div style="text-align: center;"> <p>150° x 70°</p>  </div> </div> <p style="font-size: small; text-align: center;"> <small>© 2015 Solarindo Energy. All rights reserved. This document is confidential and intended for internal use only. It is not to be distributed, copied, or reproduced without the prior written consent of Solarindo Energy.</small> </p>
---	--

1. Solar panel / PV Module	2. Spesification 100 Watt Pick / WP
	<ul style="list-style-type: none"> <li>. Module type : Poly Crystalline</li> <li>. Power Output : 100 watt</li> <li>. Voltage at Pmax, Impp : 17.5 Volt</li> <li>. Current at Pmax ,Impp : 5,7 Amper</li> <li>. Open circuit current Voc : 21.6 Volt</li> <li>. Short circuit current Isc : 6.1 Amper</li> <li>. Warranty : 15 years</li> </ul>

1. Controller Smart SRNE 12/24 Volt {15-20 A}	2. Spesification SMART SRNE
	<ul style="list-style-type: none"> <li>. Model type : Smart SRNE</li> <li>. Power Input : 12/24 volt</li> <li>. Voltage input PV : 15 ~ 55 Volt</li> <li>. Current Max : 5 ~ 15 Amper</li> <li>. Volttage Load LED : 15 ~ 60 Volt</li> <li>. Protection : IP 68</li> <li>. Warranty : 1 years</li> </ul>

1. Battery Vrla / lead acid	2. Spesification
	<ul style="list-style-type: none"> <li>. Model type : Vrla / Lead acid</li> <li>. Power Amper : 65 Ah</li> <li>. Voltage : 12.6 ~ 13.2 Volt</li> <li>. Lifetime : 2 years</li> <li>. Warranty : 1 years</li> </ul>

1. Box Battery	2. Spesification
	<ul style="list-style-type: none"> <li>. Model type : Powder coating</li> <li>. Capacity Box Battery : 65 Ah</li> <li>. Lifetime : 2 years</li> <li>. Warranty : 1 years</li> </ul>

1. Light poles & accessories	2. Spesification
	<ul style="list-style-type: none"> <li>. Model type : Octagonal Galvanis</li> <li>. Capacity Box Battery : 65 Ah</li> <li>. Standart pole height : 5 ~ 7 M</li> <li>. Lifetime : 20 years</li> <li>. Warranty : 10 years</li> </ul>