




# SPESIFIKASI LAMPU PJU-TS 60 WATT LED OSRAM

1. LAMPU LED OSRAM 60 WATT HIGH LUMENS	2. Spesification LED OSRAM 60 Watt
	<ul style="list-style-type: none"> <li>. Dual power source : Ac / Dc 36V</li> <li>. Protection : IP 66 Design Outdoor</li> <li>. High efficacy : Up to 120lm/W</li> <li>. Lumens : 7200lm</li> <li>. Long lifetime : 50,000 hours</li> <li>. Warranty : 2 ~ 3 years</li> <li>. Material : Aluminum</li> <li>. Kelvin color / CCT : 4000K ~ 5600K</li> <li>. Beam Angle : 150 x 60</li> </ul>

	<p style="text-align: center;">LEDENVO™ LED Street Light Photometrics Light Distribution Curve 150° x 60°</p> <div style="display: flex; justify-content: space-around;">   </div> <p style="font-size: small; text-align: center;"> <small>© 2014 Solarindo Energy. All rights reserved. This document is the property of Solarindo Energy and is confidential. It is not to be distributed, copied, or reproduced without the written permission of Solarindo Energy. The information contained herein is for informational purposes only and does not constitute an offer or any other financial product. Solarindo Energy and its affiliates are not responsible for any loss or damage resulting from the use of this information.</small> </p>
---	---

1. Solar panel / PV Module	2. Spesification 200 WP
	<ul style="list-style-type: none"> <li>. Module type : Poly Crystalline</li> <li>. Power Output : 200 watt</li> <li>. Voltage at Pmax, Impp : 32 Volt</li> <li>. Current at Pmax ,Impp : 6.2 Amper</li> <li>. Open circuit current Voc : 36 Volt</li> <li>. Short circuit current Isc : 6.6 Amper</li> <li>. Warranty : 15 years</li> </ul>

1. Controller Smart SRNE 12/24 Volt {15A}	2. Spesification SRNE 15A
	<ul style="list-style-type: none"> <li>. Model type : Smart SRNE</li> <li>. Power Input : 12/24 volt</li> <li>. Voltage input PV : 15 ~ 55 Volt</li> <li>. Current Max : 5 ~ 15 Amper</li> <li>. Volttage Load LED : 15 ~ 60 Volt</li> <li>. Protection : IP 68</li> <li>. Warranty : 1 years</li> </ul>

1. Battery Vrla / Lead acid	2. Spesification 65Ah x 2 unit
	<ul style="list-style-type: none"> <li>. Model type : Vrl – Lead Acid</li> <li>. Power Amper : 130 Ah</li> <li>. Voltage : 24.6 ~ 26.8 Volt</li> <li>. Lifetime : 3 years</li> <li>. Warranty : 1 years</li> </ul>

